

Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

MATERIAL SAFETY DATA SHEET

: According to EC-directive 2001/58/EC

Rubber Accelerator ZDBC(BZ) HS Code: 38121000.00

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product label name Zinc dibutyl dithiocarbamate

Qingdao YLSCH Industry&Trade Co.,Ltd

Supplier Room 501,2-3 Unit. No.8,Zhengzhou Road,

Qingdao, China.

TEL: +86 18661665800

Emergency telephone

TEL: +86 18661665800

Intended use Rubber Vulcanization Accelerator

2. COMPOSITION/INFORMATION ON INGREDIENTS

二丁基二硫代氨基甲酸锌

Chemical name Zinc dibutyl dithiocarbamate

CAS NO. 136-23-2

Chemical description White powder

TSCA NO. none

EINECS NO. none

Other information C₁₈H₃₆N₂S₄Zn

3. HAZARDS IDENTIFICATION

Repeated contact may cause skin sensitization. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES

Dust may be irritating to the respiratory tract and cause symptoms of

Symptoms and effects bronchitis.

Repeated contact may cause skin sensitization.

First aid

General In all cases of doubt, or when symptoms persist, seek medical attention.



Room 501,2-3 Unit No.8, Zhengzhou Road, Qingdao, China. TEL: 86 18661665800 Email: Dana@ylsch-rbb.com Website: www.ylsch-rbb.com

Inhalation Move to fresh air. If symptoms persist, seek medical advice.

Remove all contaminated clothing immediately. Wash off with plenty of

Skin soap and water.

Seek medical advice if irritation develops. Launder clothes before reuse.

Eye Rinse thoroughly with plenty of water. Eyelids should be held away from

the eyeball to

Ensure thorough rinsing. Seek medical advice if irritation develops.

Ingestion Rinse mouth, give water to drink.

Advice to physician No specific recommendations.

5. FIRE-FIGHTING MEASURES

Extinguishing media Waterspray, water mist, foam, dry chemical powder, CO2

Unsuitable extinguishing media None known

Special exposure hazards Emits toxic fumes under fire conditions.

Hazardous decomposition/ combustion products

Carbon monoxide(CO), sulfur oxides (SOx), nitrous gases

(NOx).

Protective equipment Wear self contained breathing apparatus.

Do not allow run-off from fire fighting to enter drains or Other information

water courses.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions For personal protection see Section 8. Avoid dust generation.

Environmental precautions Avoid discharge into the environment.

Collect as much as possible in a clean container for

Methods for cleaning up (preferable) reuse or disposal.

7. HANDLING AND STORAGE

Handling Avoid contact with skin. Avoid dust generation.

The usual precautions for handling chemicals should be observed.

Storage requirements Store in a dry and cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls Avoid dust generation. Ensure good ventilation and local

exhaustion of the working area.



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

Exposure limits

Name:Zinc dibutyl dithiocarbamate OES-TWA 10.0 mg/m3 (total inhalable dust)

Personal protection

Respiratory Avoid breathing dust. In case of insufficient ventilation,

wear suitable respiratory equipment.

HandWear suitable gloves.EyeWear safety goggles.

Skin and bodyWear suitable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	White powder	Colour	White
Odour		Boiling point	
Melting point≽	104℃	Flash point	
Flammability		Explosion limits	
Explosive properties		Auto ignition temperature	
Oxidizing properties		Vapour pressure	
Density	1.24g/cm³ (20°C)	Bulk density	
Solubility in water	Insoluble in water	Solubility in other solvents	Acetone, CS ₂
pH value		Partition coefficient	
Residues (150um)% Max	0.1(Max)	Relative vapour density	
Viscosity		Assay content % ≽	96
Strength of grain(N)		Zinc content %	
Soluble Zinc content ≤	0.3		

10. STABILITY AND REACTIVITY

	Stable under recommended storage and handling conditions	
Stability	(see section 7).	
Conditions to avoid	Heating > 100 °C: May catch fire.	
Materials to avoid	No specific recommendations.	
Hazardous decomposition products	Thermal decomposition products: carbon monoxide (CO),	
	nitrous gases (NOx), Sulfur oxides (SOx).	

11. TOXICOLOGICAL INFORMATION

Name Zinc dibutyl dithiocarbamate .

Acute toxicity



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

Oral LD50 rat : > 5000 mg/kg

Dermal LD50 rabbit : > 2000 mg/kg

Irritation

Skin Slightly irritating to skin but not sufficient for classification.

Eye Slightly irritating to eyes but not sufficient for classification.

12. ECOLOGICAL INFORMATION

Name Zinc dibutyl dithiocarbamate

Ecotoxicity

Fish No effects up to 16 mg/l (Saturated solution)

13. DISPOSAL CONSIDERATIONS

Product Avoid discharge into the environment

Small quantities: According to local regulations.

Large quantities: Consult YLSCH Chemical for special advice.

Contaminated packaging According to local regulations.

Waste code number: Please refer to your specific industry

Other information in the European Waste Catalogue.

14. TRANSPORT INFORMATION

Land transport (ADR/ RID)

ADR class 9 RID class 9

ADR/RID packing group ---- Hazard Identification No. 90

Substance Identification No. 3077 UN number 3077

Environmentally hazard us substance, solid, n.o.s.

Proper Shipping Name (Zinc dibutyl dithiocarbamate)

Sea transport (IMDG-code/ IMO)

Correct technical name IMDG Class

UN Number Packaging group

EMS Number

Air transport (ICAO-TI/ IATA-DGR)

ICAO-TI/IATA-DGR Class 9 UN number 3077



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

Packing group Environmentally hazardous substance, solid, n.o.s.

Correct technical name (Zinc dibutyl dithiocarbamate)

15. REGULATORY INFORMATION

Chemical description Zinc dibutyl dithiocarbamate

Labelling according to EC directives

EC-number See section 2

Classification based on Annex-1 to directive 67/548/EEC

R43 May cause sensitization by skin contact

R(isk) phrase(s) May cause long-term adverse effects in the aquatic

environment.

S 24 Avoid contact with skin S 37 Wear suitable gloves

S 60 This material and its container must be disposed of

S(afety) phrase(s) as hazardous waste

S 61 Avoid release to the environment. Refer to special

instruction /Safety data sheets

Other information To be displayed on the label: "EC label".

Wassergefährdungsklasse (WGK)

16.OTHER INFORMATION

This information only concerns the above mentioned product and does not need to be valid if used with other product(s) or in any process. The information is to our best present knowledge correct and complete and is given in good faith but without warranty. It remains the user's own responsibility to make sure that the information is appropriate and complete for his special use of this product.