

MATERIAL SAFETY DATA SHEET

: According to EC-directive 2001/58/EC

Rubber Accelerator ZDBC(BZ)

HS Code: 38121000.00

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product label name	Zinc dibutyl dithiocarbamate
Supplier	Qingdao YLSCH Industry&Trade Co.,Ltd Room 501,2-3 Unit. No.8,Zhengzhou Road, Qingdao,China. TEL: +86 18661665800
Emergency telephone	TEL: +86 18661665800
Intended use	Rubber Vulcanization Accelerator

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	二丁基二硫代氨基甲酸锌 Zinc dibutyl dithiocarbamate
CAS NO.	136-23-2
Chemical description	White powder
TSCA NO.	none
EINECS NO.	none
Other information	C ₁₈ H ₃₆ N ₂ S ₄ Zn

3. HAZARDS IDENTIFICATION

Repeated contact may cause skin sensitization. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES

Symptoms and effects	Dust may be irritating to the respiratory tract and cause symptoms of bronchitis. Repeated contact may cause skin sensitization.
First aid	
General	In all cases of doubt, or when symptoms persist, seek medical attention.



Inhalation	Move to fresh air. If symptoms persist, seek medical advice.
Skin	Remove all contaminated clothing immediately. Wash off with plenty of soap and water. Seek medical advice if irritation develops. Launder clothes before reuse.
Eye	Rinse thoroughly with plenty of water. Eyelids should be held away from the eyeball to Ensure thorough rinsing. Seek medical advice if irritation develops.
Ingestion	Rinse mouth, give water to drink.
Advice to physician	No specific recommendations.

5. FIRE-FIGHTING MEASURES

Extinguishing media	Waterspray, water mist, foam, dry chemical powder, CO ₂
Unsuitable extinguishing media	Waterjet
Special exposure hazards	Emits toxic fumes under fire conditions.
Hazardous decomposition/ combustion products	Carbon monoxide(CO), sulfur oxides (SO _x), nitrous gases (NO _x).
Protective equipment	Wear self contained breathing apparatus.
Other information	Do not allow run-off from fire fighting to enter drains or water courses.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	For personal protection see Section 8. Avoid dust generation.
Environmental precautions	Avoid discharge into the environment. Collect as much as possible in a clean container for
Methods for cleaning up	(preferable) reuse or disposal.

7. HANDLING AND STORAGE

Handling	Avoid contact with skin. Avoid dust generation. The usual precautions for handling chemicals should be observed.
Storage requirements	Store in a dry and cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION



Engineering controls	Avoid dust generation. Ensure good ventilation and local exhaustion of the working area.
Exposure limits	
Name: Zinc dibutyl dithiocarbamate	OES-TWA 10.0 mg/m ³ (total inhalable dust)
Personal protection	
Respiratory	Avoid breathing dust. In case of insufficient ventilation, wear suitable respiratory equipment.
Hand	Wear suitable gloves.
Eye	Wear safety goggles.
Skin and body	Wear suitable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	White powder	Colour	White
Odour	---	Boiling point	---
Melting point ≥	104°C	Flash point	---
Flammability	---	Explosion limits	---
Explosive properties		Auto ignition temperature	---
Oxidizing properties	---	Vapour pressure	---
Density	1.24g/cm ³ (20°C)	Bulk density	---
Solubility in water	Insoluble in water	Solubility in other solvents	Acetone, CS ₂
pH value	---	Partition coefficient	---
Residues (150um)% Max	0.1(Max)	Relative vapour density	---
Oil content %	1.0-2.0	Assay content % ≥	95
Strength of grain(N)	---	Zinc content %	---
Soluble Zinc content ≤	0.3		

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage and handling conditions (see section 7).
Conditions to avoid	No specific recommendations.
Materials to avoid	Oxidizing agents. strong acid.
Hazardous decomposition products	No hazardous decomposition products known.

11. TOXICOLOGICAL INFORMATION



YLSCH-RBB

Qingdao YLSCH Industry&Trade Co.,Ltd.

Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China.

TEL: [86 18661665800](tel:8618661665800) Email: Dana@ylsch-rbb.com

Website: www.ylsch-rbb.com

Name	Zinc dibutyl dithiocarbamate .
Acute toxicity	
Oral LD50	rat : > 5000 mg/kg
Dermal LD50	rabbit : > 2000 mg/kg
Irritation	
Skin	Slightly irritating to skin but not sufficient for classification.
Eye	Slightly irritating to eyes but not sufficient for classification.

12. ECOLOGICAL INFORMATION

Name	Zinc dibutyl dithiocarbamate
Ecotoxicity	
Fish	No effects up to 16 mg/l (Saturated solution)

13. DISPOSAL CONSIDERATIONS

Product	Avoid discharge into the environment Small quantities: According to local regulations. Large quantities: Consult YLSCH Chemical for special advice.
Contaminated packaging	According to local regulations. Waste code number: Please refer to your specific industry
Other information	in the European Waste Catalogue.

14. TRANSPORT INFORMATION



Land transport (ADR/ RID)

ADR class	9	RID class	9
ADR/RID packing group	----	Hazard Identification No.	90
Substance Identification No.	3077	UN number	3077

Environmentally hazardous substance, solid, n.o.s.

Proper Shipping Name	(Zinc dibutyl dithiocarbamate)		
Sea transport (IMDG-code/ IMO)			
Correct technical name	IMDG Class		
UN Number	Packaging group		
EMS Number			
Air transport (ICAO-TI/ IATA-DGR)			
ICAO-TI/IATA-DGR Class	9	UN number	3077
Packing group	Environmentally hazardous substance, solid, n.o.s.		
Correct technical name	(Zinc dibutyl dithiocarbamate)		

15. REGULATORY INFORMATION

Chemical description	Zinc dibutyl dithiocarbamate	
Labelling according to EC directives		
EC-number	See section 2	
Classification based on	Annex-1 to directive 67/548/EEC	
		
	HARMFUL (Xn)	DANGEROUS FOR THE ENVIRONMENT (N)
R(isk) phrase(s)	R43 May cause sensitization by skin contact May cause long-term adverse effects in the aquatic environment.	
S(afety) phrase(s)	S 24 Avoid contact with skin S 37 Wear suitable gloves S 60 This material and its container must be disposed of as hazardous waste S 61 Avoid release to the environment. Refer to special instruction /Safety data sheets	
Other information	To be displayed on the label: "EC label".	
Wassergefährdungsklasse (WGK)	2 (VwVwS Anhang 4 Nr. 3)	



YLSCH-RBB

Qingdao YLSCH Industry&Trade Co.,Ltd.

Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China.

TEL: [86 18661665800](tel:8618661665800) Email: Dana@ylsch-rbb.com

Website: www.ylsch-rbb.com

16.OTHER INFORMATION

This information only concerns the above mentioned product and does not need to be valid if used with other product(s) or in any process. The information is to our best present knowledge correct and complete and is given in good faith but without warranty. It remains the user's own responsibility to make sure that the information is appropriate and complete for his special use of this product.

YLSCH