

Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

MATERIAL SAFETY DATA SHEET

: According to EC-directive 2001/58/EC

Rubber Antioxidant MB

HS Code: 29332900.90

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product label name	2-Mercaptotoluimidazole
	Qingdao YLSCH Industry&Trade Co.,Ltd
Supplier	Room 501,2-3 Unit. No.8,Zhengzhou Road,
	Qingdao,China.
	TEL: +86 18661665800
Emergency telephone	TEL: +86 18661665800
Intended use	Rubber Antioxidant

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	2-Mercaptotoluimidazole
CAS NO.	583-39-1
Chemical description	White granule
TSCA NO.	none
EINECS NO.	none
Other information	C ₇ H ₆ N ₂ S

3. HAZARDS IDENTIFICATION

Harmful by inhalation, in contact with skin and if swallowed. Irritating to eyes, respiratory system and skin.

4. FIRST AID MEASURES

Symptoms and effects	Dust may be irritating to the respiratory tract and cause symptoms of bronchitis.
	Repeated contact may cause skin sensitization.
First aid	
General	In all cases of doubt, or when symptoms persist, seek medical attention.
Inhalation	Move to fresh air. If symptoms persist, seek medical advice.
Skin	Seek medical advice if irritation develops. Launder clothes before reuse.
Еуе	Rinse thoroughly with plenty of water. Eyelids should be held away from the
	eyeball to ensure thorough rinsing.
	Seek medical advice if irritation develops.
Ingestion	Rinse mouth,call a physician.



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

Advice to physician

No specific recommendations.

5. FIRE-FIGHTING MEASURES

Extinguishing media	waterspray, foam, dry chemical powder, CO ₂
Unsuitable extinguishing media	Waterjet.
Special exposure hazards	Harmful solid. Irritant.
Hazardous decomposition/ Combustion products	Carbon monoxide (CO),nitrous gases (NOx),Sulfur oxides (SOx)
Protective equipment	Wear self contained breathing apparatus.
Other information	Do not allow run-off from fire fighting to enter drains or water courses.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	For personal protection see Section 8. Avoid dust generation.
Environmental precautions	Avoid discharge into the environment.
	Collect as much as possible in a clean container for
Methods for cleaning up	(preferable) reuse or disposal.

7. HANDLING AND STORAGE	
Handling	Do not breathe dust. Do not get in eyes, on skin,on clothing.
	Avoid prolonged or repeated exposure.
Storage requirements	Store in a dry and cool place. Keep tightly closed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls	Avoid dust generation. Ensure good ventilation and local exhaustion of the
	working area.
Exposure limits	
Name:2-Mercaptotoluimidazole	
Personal protection	
Respiratory	Avoid breathing dust. In case of insufficient ventilation,
	wear suitable respiratory equipment.
Hand	Wear suitable gloves.
Eye	Wear safety goggles.
Skin and body	Wear suitable protective clothing.



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	White granule	Colour	White
Odour	Flavor bitter	Boiling point	
Melting point≥	290 °C	Flash point	
Flammability	Solid:substance:not (in)flammable.	Explosion limits	
Explosive properties	Dust:dust-explosion hazard	Autoignition temperature	
Oxidizing properties	not applicable	Ashes % max	0.40
Density	1.42-1.43	Loss on drying(%)≪	
Solubility in water		Solubility in other solvents	Ethanol, acetone and Acetic acid
pH value		Steam pressure at 100'C	
Residues (150um)% Max		Heating Loss % Max	0.4
Viscosity		Assay content % ≽	95.0
Strength of grain (N)	0.6-2.5	Oil content %	

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage and handling conditions (see section 7).
Conditions to avoid	
Materials to avoid	Strong oxidizing agents,strong bases.
Hazardous decomposition products	Thermal decomposition products: carbon monoxide (CO),
	nitrous gases (NOx), Sulfur oxides (SOx) .

11. TOXICOLOGICAL INFORMATION

Name	2-Mercaptotoluimidazole
Acute toxicity	
Oral LG50	rat:300 mg/kg. Mouse: 750 mg/kg
Dermal LD50	Rabbit: 500 mg 24H(Mild irritation effect)
Irritation	
Skin	Slightly irritating to skin but not sufficient for classification.
Еуе	Slightly irritating to eyes but not sufficient for classification.



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

12. ECOLOGICAL INFORMATION

Name	2-Mercaptotoluimidazole
Ecotoxicity	
Fish	
Daphnia	
Algae	
Degradation Biotic	Not readily biodegradable.

13. DISPOSAL CONSIDERATIONS

Product	Avoid discharge into the environment
	Small quantities: According to local regulations.
	Large quantities: Consult YLSCH Chemical for special advice.
Contaminated packaging	According to local regulations.
	Waste code number: Please refer to your specific industry
Other information	in the European Waste Catalogue.

14. TRANSPORT INFORMATION

Land transport (ADR/ RID)				
ADR class	9	RID class		9
ADR/RID packing group	ш	Hazard Identification No.		90
Substance Identification No.	3077	UN number		3077
	Environmentally hazard us substance, solid, n.o.s.			
Proper Shipping Name	(2-Mercaptotoluimidazole)			
Sea transport (IMDG-code/ IMO)				
Correct technical name				
		IMDG Class		
UN Number				
		Packaging group		
EMS Number				
Air transport (ICAO-TI/ IATA-DGR)				
ICAO-TI/IATA-DGR Class	9	UN number	3077	
Packing group	Environmentally hazardous substance, solid, n.o.s.			
Correct technical name	(2-Mercaptotoluimidazole)			



15. REGULATORY INFORMATION

Chemical description	2-Mercaptotoluimidazole		
Labelling according to EC directives			
EC-number	See section 2		
Classification based on	Annex-1 to directive 67/548/EEC		
R(isk) phrase(s)	R 20/21/22 36/37/38 Harmful by inhalation, in contact with skin and if		
	swallowed. Irritating to eyes, respiratory system and skin.		
S(afety) phrase(s)	S26 In case of contact with eyes, rinse immediately with		
	plenty of water and seek medical advice.		
	S36 Wear suitable protective clothing.		
Other information	To be displayed on the label: "EC label".		
Wassergefährdungsklasse (WGK)			

16.OTHER INFORMATION

This information only concerns the above mentioned product and does not need to be valid if used with other product(s) or in any process. The information is to our best present knowledge correct and complete and is given in good faith but without warranty. It remains the user's own responsibility to make sure that the information is appropriate and complete for his special use of this product.