

Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

MATERIAL SAFETY DATA SHEET

: According to EC-directive 2001/58/EC

Rubber Accelerator ZBEC

HS Code: 29302000.90

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product label name	Zinc dibenzyl dithiocarbamate
	Qingdao YLSCH Industry&Trade Co.,Ltd
Supplier	Room 501,2-3 Unit. No.8,Zhengzhou Road,
	Qingdao,China.
	TEL: +86 18661665800
Emergency telephone	TEL: +86 18661665800
Intended use	Rubber Vulcanization Accelerator

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	二苄基二硫代氨基甲酸锌
onemical name	Zinc dibenzyl dithiocarbamate
CAS NO.	14726-36-4
Chemical description	White granule
TSCA NO.	none
EINECS NO.	none
Other information	C ₃₀ H ₂₈ N ₂ S ₄ Zn

3. HAZARDS IDENTIFICATION

Repeated contact may cause skin sensitization. Very toxic to aquatic organisms, May cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES

Symptome and offects	Dust may be irritating to the respiratory tract and cause symptoms of
Symptoms and effects	bronchitis. Repeated contact may cause skin sensitization.
First aid	
General	In all cases of doubt, or when symptoms persist, seek medical attention.



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

Inhalation	Move to fresh air. If symptoms persist, seek medical advice.
	Remove all contaminated clothing immediately. Wash off with plenty of
Skin	soap and water.
	Seek medical advice if irritation develops. Launder clothes before reuse.
Eye	Rinse thoroughly with plenty of water. Eyelids should be held away from
	the eyeball to
	Ensure thorough rinsing. Seek medical advice if irritation develops.
Ingestion	Rinse mouth, give water to drink.
Advice to physician	No specific recommendations.

5. FIRE-FIGHTING MEASURES

Extinguishing media	Waterspray, water mist, foam, dry chemical powder, CO2	
Unsuitable extinguishing media	Waterjet.	
Special exposure hazards	Emits toxic fumes under fire conditions.	
Hazardous decomposition/ Combustion products	Carbon monoxide (CO), Sulfur oxides (SO _x), nitrous gases (NO _x).	
Protective equipment	Wear self contained breathing apparatus.	
Other information	Do not allow run-off from fire fighting to enter drains or water courses.	

6. ACCIDENTAL RELEASE MEASURES

7. HANDLING AND STORAGE Handling Fire and explosion prevention	The usual precautions for handling chemicals should be observed. No specific recommendations.
	The usual precautions for handling chemicals should be observed.
. HANDLING AND STORAGE	
Methods for cleaning up	(preferable) reuse or disposal.
	Collect as much as possible in a clean container for
Environmental precautions	Avoid discharge into the environment.
Personal precautions	generation.
	For personal protection see Section 8. Avoid dust

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

Exposure limits

Name: Zinc dibenzyl dithiocarbamate

Avoid dust generation.Ensure good ventilation and local exhaustion of the working area.

OES-TWA 10.0 mg/m3 (total inhalable dust)



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

Respiratory	Avoid breathing dust. In case of insufficient ventilation,wear suitable respiratory equipment.
Hand	Wear suitable gloves.
Eye	Wear safety goggles.
Skin and body	Wear suitable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	White granule	Colour	White
Odour		Boiling point	
Melting point≥	180 ℃	Flash point	
Flammability		Explosion limits	
Explosive properties		Auto ignition temperature	
Oxidizing properties		Vapour pressure	
Density	1.42g/cm3(25° ℃)	Bulk density	
Solubility in water	Insoluble in water	Solubility in other solvents	Acetone, alcohol
pH value		Partition coefficient	
Residues (150um)% Max	0.1(Max)	Relative vapour density	
Viscosity		Assay content % ≥	95
Strength of grain(N)	0.6-2.5	Oil content %	

10. STABILITY AND REACTIVITY

	Stable under recommended storage and handling conditions
Stability	(see section 7).
Conditions to avoid	No specific recommendations
Materials to avoid	Oxidizing agents. strong acid.
Hazardous decomposition products	No hazardous decomposition products know.

11. TOXICOLOGICAL INFORMATION

Name	Zinc dibenzyl dithiocarbamate
Acute toxicity	
Oral LG50	rat:>5000 mg/kg.
Dermal LD50	rabbit:>2000 mg/kg.
Irritation	
Skin	May cause irritating.
Еуе	Minimally irritating.



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

12. ECOLOGICAL INFORMATION

Name	Zinc dibenzyl dithiocarbamate
Ecotoxicity	
Fish	No effects up to 16 mg/l (Saturated solution)
Daphnia	
Degradation Biotic	

13. DISPOSAL CONSIDERATIONS	
Product	Avoid discharge into the environment
	Small quantities: According to local regulations.
	Large quantities: Consult YLSCH Chemical for special advice.
Contaminated packaging	According to local regulations.
	Waste code number: Please refer to your specific industry
Other information	in the European Waste Catalogue.

14. TRANSPORT INFORMATION

Land transport (ADR/ RID)				
ADR class	9	RID class		9
ADR/RID packing group		Hazard Identification No.		90
Substance Identification No.	3077	UN number		3077
	Environmentally hazard us substance, solid, n.o.s.			
Proper Shipping Name	(Zinc dibenzyl dithiocarbamate)			
Sea transport (IMDG-code/ IMO)				
Correct technical name		IMDG Class		
UN Number				
		Packaging group		
EMS Number				
Air transport (ICAO-TI/ IATA-DGF	र)			
ICAO-TI/IATA-DGR Class	9	UN number	3077	
Packing group	Environmentally hazardous substance, solid, n.o.s.			
Correct technical name	(Zinc dibenzyl dithiocarbamate)			



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

15. REGULATORY INFORMATION

Chemical description	Zinc dibenzyl dithiocarbamate	
Labelling according to EC directives		
EC-number	See section 2	
	R 43 May cause sensitization by skin contact	
R(isk) phrase(s)	May cause long-term adverse effects in the aquatic	
	environment	
	S 24 Avoid contact with skin	
	S 37 Wear suitable gloves	
	S 60 This material and its container must be disposed of	
S(afety) phrase(s)	as hazardous waste	
	S 61 Avoid release to the environment. Refer to special	
	instruction /Safety data sheets	
Other information	To be displayed on the label: "EC label".	
Wassergefährdungsklasse (WGK)		

16.OTHER INFORMATION

This information only concerns the above mentioned product and does not need to be valid if used with other product(s) or in any process. The information is to our best present knowledge correct and complete and is given in good faith but without warranty. It remains the user's own responsibility to make sure that the information is appropriate and complete for his special use of this product.