

Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

MATERIAL SAFETY DATA SHEET

: According to EC-directive 2001/58/EC

Rubber Accelerator DCBS(DZ) HS Code:29342000.90

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product label name N,N-dicyclohexyl-2-benzothiazole sulphenamide

Qingdao YLSCH Industry&Trade Co.,Ltd

Supplier Room 501,2-3 Unit. No.8,Zhengzhou Road,

Qingdao, China.

TEL: +86 18661665800

Emergency telephone TEL: +86 18661665800

Intended use Rubber Vulcanization Accelerator

2. COMPOSITION/INFORMATION ON INGREDIENTS

二苯胍

Chemical name N,N-dicyclohexyl-2-benzothiazole sulphenamide

CAS NO. 4979-32-2

Chemical description White powder

TSCA NO. none

EINECS NO. none

Other information C₁₉H₂₆N₂S₂

3. HAZARDS IDENTIFICATION

May cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES

Dust may be irritating to the respiratory tract and cause symptoms of

Symptoms and effects bronchitis.

First aid

General In all cases of doubt, or when symptoms persist, seek medical attention.



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

Inhalation Move to fresh air. If symptoms persist, seek medical advice.

Skin Wash immediately with soap and water.

Eye Rinse thoroughly with plenty of water. Eyelids should be held away from

the eyeball to

Ensure thorough rinsing. Seek medical advice if irritation develops.

IngestionRinse mouth, give water to drink.Advice to physicianNo specific recommendations.

5. FIRE-FIGHTING MEASURES

Extinguishing media Waterspray, water mist, foam, dry chemical powder, CO2

Unsuitable extinguishing media Waterjet

Special exposure hazards Emits toxic fumes under fire conditions.

Hazardous decomposition/ combustion products

Carbon monoxide(CO), Sulfur oxides(SOx), Nitrous gases (NOx).

Protective equipment Wear self contained breathing apparatus.

Other information Do not allow run-off from fire fighting to enter drains or

water courses.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions For personal protection see Section 8. Avoid dust generation.

Environmental precautionsAvoid discharge into the environment.

Collect as much as possible in a clean container for

Methods for cleaning up (preferable) reuse or disposal.

7. HANDLING AND STORAGE

Handling Avoid contact with skin. Avoid dust generation.

The usual precautions for handling chemicals should be observed.

Dust/air mixtures may ignite violently upon exposure to

sparks or sources of ignition.

Fire and explosion prevention Dust explosion class (VDI 2263): St 1.

Kst: 173 bar.m/s.

Maximum corrected explosion pressure: 7.6 bar.

Storage requirements Store in a dry and cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

Engineering controls Avoid dust generation. Ensure good ventilation and local

exhaustion of the working area.

Exposure limits No exposure limit has been established.

Name: N, N-dicyclohexyl-2-benzothiazole

sulphenamide

No exposure limit has been established.

Personal protection

RespiratoryAvoid breathing dust.HandWear suitable gloves.EyeWear safety goggles.

Skin and body Wear suitable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	White powder	Colour	White
Odour		Boiling point	
Melting point≽	97 ℃	Flash point	
Flammability		Explosion limits	
Explosive properties		Auto ignition temperature	
Oxidizing properties		Vapour pressure	
Density	1.23g/cm³ (25°C)	Bulk density	
Solubility in water	Insoluble in water	Solubility in other solvents	In most organic solvents
pH value		Partition coefficient	
Residues (150um)% Max	0.1(Max)	Relative vapour density	
Insoluble in cyclohexanylane%	0.50	Assay content % ≽	96
Strength of grain(N)		Ashes % Max	0.3(Max)
Soluble Zinc content ≤			

10. STABILITY AND REACTIVITY

Stable under recommended storage and handling conditions

Stability (see section 7).

Conditions to avoid Keep away from heat.

Materials to avoid No specific recommendations.

Hazardous decomposition
No hazardous decomposition products known.

products

11. TOXICOLOGICAL INFORMATION

Name N,N-dicyclohexyl-2-benzothiazole sulphenamide

Acute toxicity



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

Oral LD50 rat: 5000mg/kg

Dermal LD50 rabbit: 5000 mg/kg

Irritation

Non-irritating

Skin

Eye Non-irritating

12. ECOLOGICAL INFORMATION

Name N,N-dicyclohexyl-2-benzothiazole sulphenamide

Ecotoxicity

Degradation BioticNot readily biodegradable.

13. DISPOSAL CONSIDERATIONS

Product Avoid discharge into the environment

Small quantities: According to local regulations.

Large quantities: Consult YLSCH Chemical for special advice.

Contaminated packaging According to local regulations.

Waste code number: Please refer to your specific industry

Other information in the European Waste Catalogue.

14.TRANSPORT INFORMATION

Land transport (ADR/ RID)

ADR class ---- RID class ----

ADR/RID packing group ---- Hazard Identification No. ----

Substance Identification No. ---- UN number ----

Environmentally hazard us substance, solid, n.o.s.

Proper Shipping Name (N,N-dicyclohexyl-2-benzothiazole sulphenamide)

Sea transport (IMDG-code/ IMO)

Correct technical name ---- IMDG Class

UN Number Packaging group

EMS Number ----

Air transport (ICAO-TI/ IATA-DGR)

ICAO-TI/IATA-DGR Class ---- UN number ----



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

Packing group Environmentally hazardous substance, solid, n.o.s.

Correct technical name (N,N-dicyclohexyl-2-benzothiazole sulphenamide)

15.REGULATORY INFORMATION

Chemical description N,N-dicyclohexyl-2-benzothiazole sulphenamide

Labelling according to EC directives

EC-number See section 2

Classification based on Tests

R(isk) phrase(s) May cause long-term adverse effects in the aquatic environment.

S(afety) phrase(s) S 61 Avoid release to the environment. Refer to special

instruction /Safety data sheets

Other information Not restricted

Wassergefährdungsklasse (WGK) 2 (VwVwS Anhang 3, Nr. 1321)

16.OTHER INFORMATION

This information only concerns the above mentioned product and does not need to be valid if used with other product(s) or in any process. The information is to our best present knowledge correct and complete and is given in good faith but without warranty. It remains the user's own responsibility to make sure that the information is appropriate and complete for his special use of this product.