

Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China.
TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u>
Website: <u>www.ylsch-rbb.com</u>

# **MATERIAL SAFETY DATA SHEET**

: According to EC-directive 2001/58/EC

Rubber Accelerator DETU (PM) HS Code: 29332900.90

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product label name** N, N' - Diethylthiourea

Qingdao YLSCH Industry&Trade Co.,Ltd

Supplier Room 501,2-3 Unit. No.8,Zhengzhou Road,

Qingdao, China.

TEL: +86 18661665800

Emergency telephone TEL: +86 18661665800

Intended use Rubber Vulcanization Accelerator

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name

N, N' - Diethylthiourea

**CAS NO.** 105-55-5

Chemical description White powder

TSCA NO. none

EINECS NO. none

Other information  $C_5H_{17}N_2S$ 

### 3. HAZARDS IDENTIFICATION

Repeated contact may cause skin sensitization. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

# 4. FIRST AID MEASURES

Dust may be irritating to the respiratory tract and cause symptoms of

Symptoms and effects bronchitis.

Repeated contact may cause skin sensitization.

First aid

**General** In all cases of doubt, or when symptoms persist, seek medical attention.



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

Inhalation Move to fresh air. If symptoms persist, seek medical advice.

Remove all contaminated clothing immediately. Wash off with plenty of

**Skin** soap and water.

Seek medical advice if irritation develops. Launder clothes before reuse.

Eye Rinse thoroughly with plenty of water. Eyelids should be held away from

the eyeball to

Ensure thorough rinsing. Seek medical advice if irritation develops.

IngestionRinse mouth, give water to drink.Advice to physicianNo specific recommendations.

5. FIRE-FIGHTING MEASURES

**Extinguishing media** Waterspray, water mist, foam, dry chemical powder, CO<sub>2</sub>

Unsuitable extinguishing media Waterjet.

**Special exposure hazards**Emits toxic fumes under fire conditions.

Hazardous decomposition/ Combustion products

Carbon monoxide (CO), Sulfur oxides (SO<sub>x</sub>), nitrous gases (NO<sub>x</sub>).

**Protective equipment** Wear self contained breathing apparatus.

Other information Do not allow run-off from fire fighting to enter drains or water courses.

6. ACCIDENTAL RELEASE MEASURES

For personal protection see Section 8. Avoid dust

Personal precautions generation.

**Environmental precautions** Avoid discharge into the environment.

Collect as much as possible in a clean container for

Methods for cleaning up (preferable) reuse or disposal.

7. HANDLING AND STORAGE

Avoid contact with skin. Avoid dust generation.

Handling

Storage requirements Store in a dry and cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Avoid dust generation. Ensure good ventilation and local

Engineering controls exhaustion of the working area.

**Exposure limits** 



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

Name:

Respiratory

N, N-Diphenylthiourea

**Personal protection** 

Avoid breathing dust. In case of insufficient ventilation,

wear suitable respiratory equipment.

**Hand** Wear suitable gloves.

Eye Wear safety goggles.

**Skin and body**Wear suitable protective clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	White powder	Colour	White
Odour		Boiling point	
Melting point <b>≥</b>	<b>74</b> ℃	Flash point	
Flammability		Explosion limits	
Explosive properties		Auto ignition temperature	
Oxidizing properties		Vapour pressure	
Density	1.1	Bulk density	
Solubility in water	Insoluble in water	Solubility in other solvents	in most organic solvents
pH value		Partition coefficient	
Strength of grain(N)	0.6-2.5	Assay content % ≽	95

# 10. STABILITY AND REACTIVITY

Stable under recommended storage and handling conditions

Stability (see section 7).

Materials to avoid Acids and oxidants.

Hazardous decomposition products

Thermal decomposition products: nitrous gases (NOx),

Sulfur oxides (SOx).



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

### 11. TOXICOLOGICAL INFORMATION

Name N, N'-Diethylthiourea

**Acute toxicity** 

Oral LD50 rat:316mg/kg

Irritation

Skin Slightly irritating to skin but not sufficient

for classification.

**Eye** Slightly irritating to eyes but not sufficient for classification.

## 12. ECOLOGICAL INFORMATION

Name N, N'-Diethylthiourea

**Ecotoxicity** 

**Degradation Biotic**Not readily biodegradable.

### 13. DISPOSAL CONSIDERATIONS

Avoid discharge into the environment.

Product Small quantities: According to local regulations.

Large quantities: Consult YLSCH Chemical for special advice.

Contaminated packaging According to local regulations

Other information Waste code number: Please refer to your specific industry

in the European Waste Catalogue.

## 14. TRANSPORT INFORMATION

Land transport (ADR/ RID)

ADR class 9 RID class 9

ADR/RID packing group ---- Hazard Identification No. 90

Substance Identification No. 3077 UN number 3077

Environmentally hazardous substance, solid, n.o.s.

Proper Shipping Name N, N'-Diethylthiourea

Sea transport (IMDG-code/ IMO) IMDG Class ----

Correct technical name ----

UN Number ---- Packaging group ----

EMS Number ----

Air transport (ICAO-TI/ IATA-DGR)



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

ICAO-TI/IATA-DGR Class 9 UN number 3077

**Packing group** Environmentally hazardous substance, solid, n.o.s.

Correct technical name (N, N'-Diethylthiourea)

# 15. REGULATORY INFORMATION

Chemical description N, N'-Diethylthiourea

Labelling according to EC directives

**EC-number** See section 2

Classification based on Annex-1 to directive 67/548/EEC

R 43 May cause sensitization by skin contact

R(isk) phrase(s) May cause long-term adverse effects in the aquatic

environment

S 24 Avoid contact with skin S 37 Wear suitable gloves

S 60 This material and its container must be disposed of

S(afety) phrase(s) as hazardous waste

S 61 Avoid release to the environment. Refer to special

instruction /Safety data sheets

Other information To be displayed on the label: "EC label".

Wassergefährdungsklasse (WGK) 2 (VwVwS Anhang 3, Nr. 6605)

# **16. OTHER INFORMATION**

This information only concerns the above mentioned product and does not need to be valid if used with other product(s) or in any process. The information is to our best present knowledge correct and complete and is given in good faith but without warranty. It remains the user's own responsibility to make sure that the information is appropriate and complete for his special use of this product.