

Qingdao YLSCH Industry&Trade Co.,Ltd.

Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

MATERIAL SAFETY DATA SHEET

: According to EC-directive 2001/58/EC

Rubber Accelerator DETU (PM)

HS Code: 29332900.90

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product label name	N, N' - Diethylthiourea
	Qingdao YLSCH Industry&Trade Co.,Ltd
Supplier	Room 501,2-3 Unit. No.8,Zhengzhou Road,
	Qingdao,China.
	TEL: +86 18661665800
Emergency telephone	TEL: +86 18661665800
Intended use	Rubber Vulcanization Accelerator

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	二乙基硫脲
	N, N' - Diethylthiourea
CAS NO.	105-55-5
Chemical description	White granule
TSCA NO.	none
EINECS NO.	none
Other information	C ₅ H ₁₇ N ₂ S

3. HAZARDS IDENTIFICATION

Repeated contact may cause skin sensitization. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES

Symptoms and effects	Dust may be irritating to the respiratory tract and cause symptoms of bronchitis.
	Repeated contact may cause skin sensitization.
First aid	
General	In all cases of doubt, or when symptoms persist, seek medical attention.



Qingdao YLSCH Industry&Trade Co.,Ltd.

Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

Inhalation	Move to fresh air. If symptoms persist, seek medical advice.
	Remove all contaminated clothing immediately. Wash off with plenty of
Skin	soap and water.
	Seek medical advice if irritation develops. Launder clothes before reuse.
Eye	Rinse thoroughly with plenty of water. Eyelids should be held away from
	the eyeball to
	Ensure thorough rinsing. Seek medical advice if irritation develops.
Ingestion	Rinse mouth, give water to drink.
Advice to physician	No specific recommendations.

5. FIRE-FIGHTING MEASURES

Extinguishing media	Waterspray, water mist, foam, dry chemical powder, CO2
Unsuitable extinguishing media	Waterjet.
Special exposure hazards	Emits toxic fumes under fire conditions.
Hazardous decomposition/ Combustion products	Carbon monoxide (CO), Sulfur oxides (SO _x), nitrous gases (NO _x).
Protective equipment	Wear self contained breathing apparatus.
Other information	Do not allow run-off from fire fighting to enter drains or water courses.

6. ACCIDENTAL RELEASE MEASURES

	For personal protection see Section 8. Avoid dust
Personal precautions	generation.
Environmental precautions	Avoid discharge into the environment.
	Collect as much as possible in a clean container for
Methods for cleaning up	(preferable) reuse or disposal.

7. HANDLING AND STORAGE

Handling

Storage requirements

Store in a dry and cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

Exposure limits

Avoid dust generation. Ensure good ventilation and local exhaustion of the working area.

Avoid contact with skin. Avoid dust generation.

K	Qingdao YLSCH Industry&Trade Co.,Ltd.
	Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u>
YLSCH-RBB	Website: <u>www.ylsch-rbb.com</u>
Name: N, N-Diphenylthiourea	
Personal protection	
	Avoid breathing dust. In case of insufficient ventilation,
Respiratory	wear suitable respiratory equipment.
Hand	Wear suitable gloves.
Eye	Wear safety goggles.
Skin and body	Wear suitable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	White granule	Colour	White
Odour		Boiling point	
Melting point≥	74 °C	Flash point	
Flammability		Explosion limits	
Explosive properties		Auto ignition temperature	
Oxidizing properties		Vapour pressure	
Density	1.1	Bulk density	
Solubility in water	Insoluble in water	Solubility in other solvents	in most organic solvents
pH value		Partition coefficient	
Strength of grain(N)	0.6-2.5	Assay content % ≥	96

10. STABILITY AND REACTIVITY

	Stable under recommended storage and handling conditions
Stability	(see section 7).
Materials to avoid	Acids and oxidants.
Materials to avoid	Acius and Oxidants.
Hazardous decomposition products	Thermal decomposition products: nitrous gases (NOx), Sulfur oxides (SOx).



Qingdao YLSCH Industry&Trade Co.,Ltd.

Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

11. TOXICOLOGICAL INFORMATION

Name	N, N'-Diethylthiourea
Acute toxicity	
Oral LD50	rat:316mg/kg
Irritation	
Skin	Slightly irritating to skin but not sufficient for classification.
Eye	Slightly irritating to eyes but not sufficient for classification.


12. ECOLOGICAL INFORMATION	
Name	N, N'-Diethylthiourea
Ecotoxicity	
Degradation Biotic	Not readily biodegradable.

13. DISPOSAL CONSIDERATIONS

	Avoid discharge into the environment.
Product	Small quantities: According to local regulations.
	Large quantities: Consult YLSCH Chemical for special advice.
Contaminated packaging	According to local regulations
Other information	Waste code number: Please refer to your specific industry in the European Waste Catalogue.

14. TRANSPORT INFORMATION

Land transport (ADR/ RID)				
	_			_
ADR class	9	RID class		9
ADR/RID packing group		Hazard Identification No.		90
Substance Identification No.	3077	UN number		3077
Proper Shipping Name	Environmentally hazardous substance, solid, n.o.s. N, N'-Diethylthiourea			
Sea transport (IMDG-code/ IMO)		IMDG Class		
Correct technical name				
UN Number		Packaging group		
EMS Number				
Air transport (ICAO-TI/ IATA-DGR)				



15. REGULATORY INFORMATION

Chemical description Labelling according to EC directives	N, N'-Diethylthiourea	
EC-number	See section 2	
Classification based on	Annex-1 to directive 67/548/EEC	
	R 43 May cause sensitization by skin contact	
R(isk) phrase(s)	May cause long-term adverse effects in the aquatic	
	environment	
	S 24 Avoid contact with skin	
	S 37 Wear suitable gloves	
	S 60 This material and its container must be disposed of	
S(afety) phrase(s)	as hazardous waste	
	S 61 Avoid release to the environment. Refer to special	
	instruction /Safety data sheets	
Other information	To be displayed on the label: "EC label".	
Wassergefährdungsklasse (WGK)	2 (VwVwS Anhang 3, Nr. 6605)	

16. OTHER INFORMATION

This information only concerns the above mentioned product and does not need to be valid if used with other product(s) or in any process. The information is to our best present knowledge correct and complete and is given in good faith but without warranty. It remains the user's own responsibility to make sure that the information is appropriate and complete for his special use of this product.