

Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

## MATERIAL SAFETY DATA SHEET

: According to EC-directive 2001/58/EC

Rubber Accelerator DPTU(CA)

HS Code: 29332900.90

## **1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Product label name	N, N'-Diphenylthiourea		
	Qingdao YLSCH Industry&Trade Co.,Ltd		
Supplier	Room 501,2-3 Unit. No.8,Zhengzhou Road,		
	Qingdao,China.		
	TEL: +86 18661665800		
Emergency telephone	+86 18661665800		
Intended use	Rubber Vulcanization Accelerator		

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	N,N-二苯基硫脲
Chemical name	N, N'-Diphenylthiourea
CAS NO.	102-08-9
Chemical description	White powder
TSCA NO.	none
EINECS NO.	none
Other information	C <sub>13</sub> H <sub>12</sub> N <sub>2</sub> S

#### **3. HAZARDS IDENTIFICATION**

Toxic if swallowed.

#### 4. FIRST AID MEASURES

Symptoms and effects	Dust may be irritating to the respiratory tract and cause symptoms of bronchitis.	
	Repeated contact may cause skin sensitization.	
First aid		
General	In all cases of doubt, or when symptoms persist, seek medical attention.	



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

Inhalation	Move to fresh air. If symptoms persist, seek medical advice.		
	Remove all contaminated clothing immediately. Wash off with plenty of		
Skin	soap and water.		
	Seek medical advice if irritation develops. Launder clothes before reuse.		
Eye	Rinse thoroughly with plenty of water. Eyelids should be held away from		
	the eyeball to ensure thorough rinsing.		
	Seek medical advice if irritation develops.		
Ingestion	Rinse mouth, give water to drink.		
Advice to physician	No specific recommendations.		

## 5. FIRE-FIGHTING MEASURES

Extinguishing media	Waterspray, water mist, foam, dry chemical powder, CO2		
Unsuitable extinguishing media	Waterjet.		
Special exposure hazards	Emits toxic fumes under fire conditions.		
Hazardous decomposition/ Combustion products	Carbon monoxide (CO), Sulfur oxides (SO <sub>x</sub> ), nitrous gases (NO <sub>x</sub> ).		
Protective equipment	Wear self contained breathing apparatus.		
Other information	Do not allow run-off from fire fighting to enter drains or water courses.		

#### 6. ACCIDENTAL RELEASE MEASURES

	For personal protection see Section 8. Avoid dust	
Personal precautions	generation.	
Environmental precautions	Avoid discharge into the environment.	
	Collect as much as possible in a clean container for	
Methods for cleaning up	(preferable) reuse or disposal.	
. HANDLING AND STORAGE		

Handling	Avoid contact with skin. Avoid dust generation.		
	Store in a dry and cool place.		
Storage requirements	Away from heat sources and ignition sources.		

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

**Exposure limits** 

Name: N, N'-Diphenylthiourea

**Personal protection** 

Respiratory

Avoid dust generation.Ensure good ventilation and local exhaustion of the working area.

Avoid breathing dust. In case of insufficient ventilation,wear suitable respiratory equipment.



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

1100111122	
Hand	Wear suitable gloves.
Еуе	Wear safety goggles.
Skin and body	Wear suitable protective clothing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	White powder	Colour	White
Odour		Boiling point	
Melting point≥	<b>148</b> ℃	Flash point	
Flammability		Explosion limits	
Explosive properties		Auto ignition temperature	
Oxidizing properties		Vapour pressure	
Density	1.32g/cm <sup>3</sup>	Bulk density	
Solubility in water	Insoluble in water	Solubility in other solvents	Ethanol ether chloroform
pH value		Partition coefficient	
Residues (150um)% Max	0.10max	Relative vapour density	
Viscosity		Assay content % ≽	95
Strength of grain(N)			

### **10. STABILITY AND REACTIVITY**

Stability Materials to avoid

Hazardous decomposition products

Stable under recommended storage and handling conditions

(see section 7).

Away form heat sources and ignition sources.

Thermal decomposition products: carbon monoxide (CO), nitrous gases (NOx), Sulfur oxides (SOx).

11. TOXICOLOGICAL INFORMATION			
Name	N, N'-Diphenylthiourea		
Acute toxicity			
Oral LG50			
Dermal LD50			
Irritation			
Skin	Slightly irritating to skin but not sufficient for classification.		
Eye	Slightly irritating to eyes but not sufficient for classification.		



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: 86 18661665800 Email: Dana@ylsch-rbb.com Website: www.ylsch-rbb.com

### **12. ECOLOGICAL INFORMATION**

Name

Ecotoxicity

**Degradation Biotic** 

N, N'-Diphenylthiourea

Not readily biodegradable.

#### **13. DISPOSAL CONSIDERATIONS**

Product	Avoid discharge into the environment
	Small quantities: According to local regulations.
	Large quantities: Consult YLSCH Chemical for special advice.
Contaminated packaging	Accordingto local regulations.
	Waste code number: Please refer to your specific industry
Other information	in the European Waste Catalogue.

### **14. TRANSPORT INFORMATION**

Land transport (ADR/ RID)			
ADR class	9	RID class	9
ADR/RID packing group		Hazard Identification No.	90
Substance Identification No.	3077	UN number	3077
	Environmentally h	azard us substance, solid, n.o.s.	
Proper Shipping Name	(N, N'-Diphenylthio	burea)	
Sea transport (IMDG-code/ IMO)			
Correct technical name		IMDG Class	
UN Number			
		Packaging group	
EMS Number			
Air transport (ICAO-TI/ IATA-DGR)			
ICAO-TI/IATA-DGR Class	9	UN number	3077
Packing group	Environmentally hazardous substance, solid, n.o.s.		
Correct technical name	(N, N'-Diphenylthiourea)		

## **15. REGULATORY INFORMATION**



Room 501,2-3 Unit No.8,Zhengzhou Road,Qingdao,China. TEL: <u>86 18661665800</u> Email: <u>Dana@ylsch-rbb.com</u> Website: <u>www.ylsch-rbb.com</u>

Chemical description	N, N'-Diphenylthiourea
Labelling according to EC directives	
EC-number	See section 2
Classification based on	Annex-1 to directive 67/548/EEC
	R 43 May cause sensitization by skin contact
	May cause long-term adverse effects in the aquatic
	environment
R(isk) phrase(s)	S 24 Avoid contact with skin
	S 37 Wear suitable gloves
	S 60 This material and its container must be disposed of
S(afety) phrase(s)	as hazardous waste
	S 61 Avoid release to the environment. Refer to special
	instruction /Safety data sheets
Other information	To be displayed on the label: "EC label".
Wassergefährdungsklasse (WGK)	2 (VwVwS Anhang 3, Nr. 6605)

### **16.OTHER INFORMATION**

This information only concerns the above mentioned product and does not need to be valid if used with other product(s) or in any process. The information is to our best present knowledge correct and complete and is given in good faith but without warranty. It remains the user's own responsibility to make sure that the information is appropriate and complete for his special use of this product.