

化学品安全数据单

一、标识

物质名称： 二甲基二硫/ Dimethyl disulfide。

其它名称： /

使用建议及使用限制： 本品可用于溶剂和农药中间体。

制造商或供货商名称、地址及电话： 青岛银立顺工贸有限公司

紧急联络电话/传真电话： 0532 82678303

二、危险标识

物质或混合物的分类：

易燃液体第 2 类

急性毒性（口服）第 3 类

急性毒性（吸入）第 3 类

皮肤腐蚀/刺激第 3 类

严重眼损伤/眼刺激第 2A 类

特定目标器官毒性——单次接触第 1 类（吸入，肺）

特定目标器官毒性——重复接触第 1 类（皮肤，血液和造血系统）

危害水生环境（长期）第 2 类。

全球统一制度标签要素，包括防范说明：



信号词： 危险。

危险说明： 高度易燃液体和蒸气。吞咽会中毒。吸入会中毒。造成轻微皮肤刺激。造成严重眼刺激。会损害器官（吸入，肺）。长期或重复接触会对器官造成损害（皮肤，血液和造血器官）。对水生生物有毒并具有长期持续影响。

防范说明：

预防:

远离热源/火花/明火/热表面。禁止吸烟。保持容器密闭。容器和接收设备接地/等势联接。使用防爆的电气/通风照明/设备。只能使用不产生火花的工具。采取防止静电放电的措施。戴防护手套/穿防护衣服/防护面具/防护眼罩。作业后彻底清洗双手和眼睛。使用本产品时不要进食、饮水或吸烟。不要吸入蒸汽/喷雾。只能在室外或通风良好之处使用。避免释放到环境中。

反应:

火灾时: 使用干粉、雾状水、泡沫、二氧化碳灭火。如皮肤(或头发)沾染: 立即去除/脱掉所有沾染的衣服。用水清洗皮肤/淋浴。如发生皮肤刺激: 求医/就诊。如误吞咽: 立即呼叫解毒中心或医生。漱口。如误吸入: 将受害人转移到空气新鲜处, 保持呼吸舒适的休息姿势。呼叫解毒中心或医生。如进入眼睛: 用水小心冲洗几分钟。如戴隐形眼镜并可方便地取出, 取出隐形眼镜。继续冲洗。如仍觉眼刺激: 求医/就诊。如接触到: 呼叫解毒中心或医生。如感觉不适, 须求医/就诊。收集溢出物。

贮存:

存放处需加锁。存放在通风良好的地方。保持低温。保持容器密闭。

处置:

按照相关规定处置内装物和容器。

不导致分类的其他危险: /

三、组成/成分信息

化学名称	化学文摘社登记号码 (CAS No.)	成分(由送检 企业提供)
二甲基二硫	624-92-0	99.5%

四、急救措施

不同暴露途径的急救方法

吸入: 迅速脱离现场至空气新鲜处。保持呼吸道通畅。如呼吸困难, 给输氧。如呼吸停止, 立即进行人工呼吸。就医。

皮肤接触: 脱去污染的衣着, 用大量流动清水冲洗。

眼睛接触: 立即提起眼睑, 用大量流动清水或生理盐水彻底冲洗至少 15 分钟。就医。

食入: 漱口, 就医。

最重要的症状及危险效应: /

必要时注明要立即就医及所需的特殊治疗: /

五、消防措施

适用和不适用的灭火剂: 可用干粉、雾状水、泡沫、二氧化碳等灭火。

化学品产生的具体危险: 易燃, 其蒸汽可与空气形成爆炸性混合物, 与高热、明火有起火爆炸的危险。

消防人员的特殊防护设备和防范措施: 消防人员必须穿全身防火防毒服, 在上风向灭火。灭火时尽可能将容器从火场移至空旷处, 使用干粉、雾状水、泡沫、二氧化碳等灭火剂灭火。

六、意外释放措施

人身防范、保护设备和应急程序：建议应急处理人员戴防护口罩，穿消防工作服。不要直接接触泄漏物。

环境防范措施：隔离泄漏污染区，限制出入。

抑制清理方法和材料：小量泄漏：用砂土或其它惰性材料吸附或吸收。切勿使产品进入下水道等限制性区域。大量泄漏：构筑围堤或挖坑收容。用防爆泵转移至槽车或专用收集器内，回收或运至废物处理场所处置。

七、搬运与储存

安全搬运的注意事项或防范措施：密闭操作，局部排风。操作人员必须经过专门培训，严格遵守操作规程。建议操作人员佩戴防护口罩，戴化学安全防护眼镜，穿防毒物渗透工作服，戴防酸碱手套。搬运时轻装轻卸，防止包装破损。配备泄漏应急处理设备。倒空的容器可能残留有害物质。

安全存储的条件，包括任何不相容性：储存于阴凉、干燥、通风良好的库房。远离火种、热源。防止阳光直射。包装必须密封，切勿受潮。应与易（可）燃物等分开存放，切忌混储。储区应备有合适的材料收容泄漏物。

八、接触控制/人身保护

控制参数： /

工程控制：严加密闭，提供充分的局部排风。

个人防护设备

防护眼罩/面具：呼吸系统防护中已作防护。

皮肤防护：穿连衣式胶布防毒衣。

呼吸系统防护：紧急事态抢救或撤离时，应该佩戴空气呼吸器。

高温危险： /

九、物理及化学性质

外观（物理状态、颜色等）	无色透明液体。
气味	/
气味阈值	/
pH 值	/
熔点/凝固点	-85℃。
初始沸点和沸腾范围	110℃。
闪点	18℃。
蒸发速率	/
易燃性（固态、气态）	/
上下易燃极限或爆炸极限	1.1%-16%。
蒸气压力	3.8 kPa（20℃）。
蒸气密度	1.08。
相对密度	1.06。
可溶性	0.25g/100mL（20℃）。
分配系数：n-辛醇/水	1.77。
自动点火温度	>300℃。
分解温度	/
粘度	/

十、稳定及反应性

反应性： /
化学稳定性： /
危险反应的可能性： /
应避免的条件（如静态卸载、冲击或振动）： 火星、静电。
不相容的物质和材料： 易燃或可燃物。
危险的分解产物： 碳氧化物、硫氧化物。

十一、毒理学信息

暴露途径： 吸入，食入，经皮吸收，眼睛接触。	
有关物理、化学和毒理学特点的症状： /	
急性毒性效应： 吸入后会导致咳嗽、咽喉疼痛，严重可致命。皮肤接触会导致皮肤发红、刺激。眼睛接触后会导致发红、刺激。食入会导致咽喉痛、腹痛、呕吐等症状，严重可致命。慢性毒性或长期毒性效应： 长期接触对血液和造血系统有损害。	
毒性的数值度量（如急性毒性估计值）： 吸入（大鼠）LC50： 12.3 mg/m ³ /2h	眼睛 irritating * 刺激性
吸入 LC 50 15.85 mg/m ³ /2h	皮肤 slight *
经口 LD 50 (半致死剂量) 290 mg/kg *	
吸入 LC 50 3100 mg/m ³ /4h *	

十二、生态信息

生态毒性：对水生生物有毒并具有长期持续影响。

持久性及降解性：高。

生物蓄积性：轻微。

在土壤中的流动性：高。

其它不利效应： /

十三、处置考虑

处置方法：用安全掩埋法处置。破损容器禁止重新使用，要在规定场所掩埋。

十四、运输信息

联合国编号：2381。

联合国运输名称：二甲二硫。

运输危险种类：3（6.1）

包装类别：II。

海洋污染物（是/否）：否。

用户的特殊防范措施： /

十五、管理信息

国内化学品安全法规：本化学品安全数据单遵照了以下相关国家标准：GB16483-2008，GB13690-2009，GB6944-2005，GB/T15098-2008，GB18218-2009，GB15258-2009，GB6944-2005，GB190-2009，GB191-2009，GB12268-2008，GA57-1993，GB/T15098-2008，GBZ 2-2007 以及相关法规：《铁路危险货物运输管理规则》、《危险化学品安全管理条例》、联合国《关于危险货物运输的建议书》（简称 UN RTDG）。

十六、其它信息

参考文献	联合国《关于危险货物运输的建议书·规章范本》 联合国《全球化学品统一分类和标签制度》
制表日期	2022-01-06

注 1：当产品为含有两种以上危险物质的混合物时，应依据其混合后的危险性，制作安全数据单。

注 2：制造商/供应商应根据实际情况确保安全数据单所含信息的正确性，并适时更新。注

3：如由于产品特性而不存在或不可得某些信息时（如固体不存在沸点），应在表格中以“/”标识。

Material Safety Data Sheet

Section 1 IDENTIFICATION

Product Name: Dimethyl disulfide.

Other Name: /

Recommended use of the chemical and restrictions on use: Intermediate product of pesticide and solvent.

Supplier's details: QINGDAO YLSCH INDUSTRY&TRADE CO.,LTD.

Emergency phone number: 0532 82678303

Section 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture:

Flammable liquids Category 2

Acute Toxicity (Oral) Category 3

Acute Toxicity (Inhalation) Category 3

Skin Corrosion/Irritation Category 3

Serious eye damage/eye irritation Category 2A

Specific target organ toxicity, single exposure Category 1(Inhalation, Lung)

Specific target organ toxicity, repeated exposure Category 1(Dermal, Blood and the Hematopoietic system)

Hazardous to the aquatic environment, long-term hazard Category 2

GHS Label elements, including precautionary statements:



Signal word: Danger

Hazard statement(s): Highly flammable liquid and vapor. Toxic if swallowed. Toxic if inhaled. Causes mild skin irritation. Causes serious eye irritation. Causes damage to organs (Inhalation, Lung). Causes damage to organs through prolonged or repeated exposure (Dermal, Blood and the Hematopoietic system). Toxic to aquatic life with long lasting effects.

Precautionary statement(s):

Prevention:

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/eye protection/face protection. Wash hands and eyes thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathing vapors/spray. Use only outdoors or in a well-ventilated area. Avoid release to the environment.

Response:

In case of fire: Use water, chemical powder, foam, CO2 to extinguish. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. If swallowed: Immediately call a poison center/doctor. Rinse mouth. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If exposed or concerned: Call a poison center/doctor. Get medical advice/attention if you feel unwell. Collect spillage.

Storage:

Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed. Store locked up.

Disposal:

Dispose of contents/container to in accordance with national regulations.

Other hazards which do not result in classification: /

Section 3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Concentration%
Dimethyl disulfide	624-92-0	99.5%

Section 4 FIRST AID MEASURES

Description of necessary first aid measures

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact: Wash off with soap and plenty of water. Consult a physician.

In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed: /

Indication of immediate medical attention and special treatment needed: /

Section 5 FIREFIGHTING MEASURES

Suitable extinguishing media: Use alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the chemical: Liquid and vapour are highly flammable. May explode and burn in high temperature and fire and produce toxic fumes.

Special protective actions for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary. Use water spray to cool unopened containers.

Section 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Environmental precautions : Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up : Contain spillage and then collect with pump and place in container for disposal according to local regulations.

Section 7 HANDLING AND STORAGE

Precautions for safe handling: Wear protective gloves/eye protection/face protection/protective clothing. Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking.

Conditions for safe storage, including any incompatibilities : Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Section 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters: /

Appropriate engineering controls: Local exhaust ventilation or a process enclosure ventilation system may be required.

Personal protective equipment

Eye/face protection: Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants.

Skin protection: Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber. Impervious clothing,

Respiratory protection: Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant.

Thermal hazards: /

Section 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Colorless transparent liquid.
Odour	/
Odour Threshold	/
pH	/
Melting point/freezing point	-85°C.
Initial boiling point and boiling range	110°C.
Flash point	18°C.
Evaporation rate	/
Flammability (solid, gas)	/
Upper/lower flammability or explosive limits	1.1%-16%.
Vapour pressure	3.8 kPa (20°C) .
Vapour density	1.08.
Relative density	1.06.
Water solubility	0.25g/100mL (20°C) .
Partition coefficient: n-octanol/water	1.77.
Auto-ignition temperature	>300°C.
Decomposition temperature	/
Viscosity	/

Section 10 STABILITY AND REACTIVITY

Reactivity: /

Chemical stability: /

Possibility of hazardous reactions: /

Conditions to avoid: Spark and static electricity.

Incompatible materials: Flammable materials.

Hazardous decomposition products: CO, CO₂, SO₂ and so on.

Section 11 TOXICOLOGICAL INFORMATION

Information on the likely routes of exposure: Inhaled, swallowed, skin, eyes.

Symptoms related to the physical, chemical and toxicological characteristics: /

Acute health effects: Accidental ingestion of the material may be harmful and cause cough, throat pain and fetal damage. Oral intake cause headache, giddiness, vomit and fetal damage. This material may produce skin and eyes irritation.

Chronic health effects : Repeated or prolonged exposure may damage blood and the Hematopoietic system.

Numerical measures of toxicity(such as acute toxicity estimates):

TOXICITY	IRRITATION
Inhalation (rat) LC50: 15.85 mg/m ³ /2h	Skin (rabbit): slight *
Inhalation (mouse) LC50: 12.3 mg/m ³ /2h	Eye (rabbit): irritating *
Oral (Rat) LD50: 290 mg/kg *	
Inhalation (Rat) LC50: 3100 mg/m ³ /4h *	

Section 12 ECOLOGICAL INFORMATION

Toxicity: Toxic to aquatic life with long lasting effects.

Persistence and degradability: High.

Bioaccumulative potential: Low.

Mobility in soil: High.

Other adverse effects: /

Section 13 DISPOSAL CONSIDERATIONS

Disposal methods: Burial in a land-fill specifically licensed to accept chemical. Reuse of broken container is forbidden.

Section 14 TRANSPORT INFORMATION

UN number: 2381.

UN proper shipping name: DIMETHYL DISULPHIDE.

Transport hazard class(es): 3 (6.1)

Packaging group: II.

Environmental hazards (Yes/No): No.

Special precautions for user: /

Section 15 REGULATORY INFORMATION

Regulations : This safety data sheet is in compliance with the following national standards: GB16483-2008 , GB13690-2009 , GB6944-2005 , GB/T15098-2008 , GB18218-2009 , GB15258-2009, GB6944-2005, GB190-2009, GB191-2009, GB12268-2008, GA57-1993, GB/T 15098-2008, GBZ 2-2007 as well as the following national regulations: Dangerous Goods Transport Administrative Regulation [Published by the Ministry of Railways, 2008], Dangerous Chemicals Safety Administrative Regulation [Published by the State Council, 2011], United Nations Regulations on the Transport of Dangerous Goods (UN RTDG).

Section 16 OTHER INFORMATION

References	UN Recommendations on the Transport of Dangerous Goods Model Regulations UN Globally Harmonized System of Classification and Labelling of Chemicals
Form Date	06-JAN-2022

Note 1: When products contain two or more hazardous substances, Safety Data Sheets should be prepared based on the risk of the mixture.

Note 2: Manufacturer / supplier should ensure the correctness of the information contained in the safety data sheets, and updated in a timely manner.

Note 3: As a result of product features without the existence of certain information or no data available (such as boiling point does not exist for the solid) in the table with "/" logo.